Serial No.: 10/009,383

Filed: November 2, 2001

Page : 2 of 11

## Amendments to the Claims

This listing of claims replaces all prior versions and listings of claims in the application.

## Listing of Claims:

1. (Currently amended) An isolated DNA molecule comprising a DNA sequence encoding a polypeptide with a first amino acid sequence selected from the group consisting of the amino acid sequences of the polypeptides MTBN1, MTBN2, MTBN3, MTBN4, MTBN5, [[MTBN6,]] MTBN7, and MTBN8,

or a second amino acid sequence identical to said first amino acid sequence but with conservative substitutions,

wherein said polypeptide has *Mycobacterium tuberculosis* specific antigenic and immunogenic properties.

- 2. (Original) An isolated portion of the DNA molecule of claim 1, said portion encoding a segment of said polypeptide shorter than the full-length polypeptide, said segment having *Mycobacterium tuberculosis* specific antigenic and immunogenic properties.
  - 3. (Previously presented) A vector comprising:
  - (a) the DNA molecule of claim 1; and
- (b) a regulatory sequence operationally linked to said DNA sequence, said regulatory sequence allowing for expression of the polypeptide encoded by said DNA sequence in a cell.
  - 4. (Previously presented) A vector comprising:
  - (a) the DNA molecule of claim 2; and
- (b) a regulatory sequence operationally linked to said DNA sequence, said regulatory sequence allowing for expression of the polypeptide encoded by said DNA sequence in a cell.

Serial No.: 10/009,383

Filed: November 2, 2001

Page : 3 of 11

5. (Original) A cell transformed with the vector of claim 3.

- 6. (Original) A cell transformed with the vector of claim 4.
- 7. (Original) A composition comprising the vector of claim 3 and a pharmaceutically acceptable diluent or filler.
- 8. (Original) A composition comprising the vector of claim 4 and a pharmaceutically acceptable diluent or filler.
- 9. (Previously presented) A composition comprising at least two DNA sequences, each encoding a polypeptide of the *Mycobacterium tuberculosis* complex that is not a polypeptide encoded by the genome of cells of the Bacille Calmette Guerin (BCG) strain of *Mycobacteria bovis*, said DNA sequences being operationally linked to a regulatory sequence which allows for expression of each said polypeptide in a cell of a vertebrate,

wherein at least one of said at least two DNA sequences is a DNA molecule of claim 1.

10. (Previously presented) A composition comprising at least two DNA sequences, each encoding a functional fragment of a polypeptide of the *Mycobacterium tuberculosis* complex, said DNA sequences being operationally linked to a regulatory sequence which allows for expression of each said polypeptide in a cell of a vertebrate,

wherein at least one of said at least DNA sequences is a DNA molecule of claim 2.

11. (Currently amended) An isolated polypeptide with a first amino acid sequence selected from the group consisting of the sequences of the polypeptides MTBN1, MTBN2, MTBN3, MTBN4, MTBN5, [[MTBN6,]] MTBN7, and MTBN8,

or a second amino acid sequence identical to said first amino acid sequence but with conservative substitutions,

wherein said polypeptide has *Mycobacterium tuberculosis* specific antigenic and immunogenic properties.

Serial No.: 10/009,383

Filed: November 2, 2001

Page : 4 of 11

12. (Original) An isolated segment of the polypeptide of claim 11, said segment being shorter than the full-length polypeptide and having *Mycobacterium tuberculosis* specific antigenic and immunogenic properties.

- 13. (Original) A composition comprising the polypeptide of claim 11 and a pharmaceutically acceptable diluent or filler.
- 14. (Original) A composition comprising a functional fragment of the polypeptide of claim 12 and a pharmaceutically acceptable diluent or filler.
- 15. (Previously presented) A composition comprising at least two polypeptides of the *Mycobacterium tuberculosis* complex, each polypeptide not being encoded by the genome of the cells of the BCG strain of *Mycobacterium bovis*, wherein at least one of said at least two polypeptides is a polypeptide of claim 1.
- 16. (Previously presented) A composition comprising functional fragments of at least two polypeptides of the *Mycobacterium tuberculosis* complex, each polypeptide not being encoded by the genome of cells of the Bacille Calmette Guerin (BCG) strain of *Mycobacteria bovis*, wherein at least one of said at least polypeptides is a segment of claim 2.
  - 17. (Currently amended) A method of diagnosis comprising:
- (a) administration of the composition of claim 15 to a subject suspected of having or being susceptible to *Mycobacterium tuberculosis* infection; and
- (b) detecting an immune response in said subject to said composition as an indication that said subject has or is susceptible been exposed to Mycobacterium tuberculosis.
  - 18. (Currently amended) A method of diagnosis comprising:
- (a) administration of the composition of claim 16 to a subject suspected of having or being susceptible to *Mycobacterium tuberculosis* infection; and
- (b) detecting an immune response in said subject to said composition as an indication that said subject has been exposed to Mycobacterium tuberculosis.

Serial No.: 10/009,383

Filed: November 2, 2001

Page : 5 of 11

19. - 34. (Cancelled)

35. (Currently amended) The DNA molecule of claim 1, wherein the DNA sequence is selected from the group of DNA sequences consisting of the *mtbn1*, *mtbn2*, *mtbn3*, *mtbn4*, *mtbn5*, [[ *mtbn6*, ]] *mtbn7*, and *mtbn8*.

- 36. (New) The DNA molecule of claim 35, wherein the DNA sequence is the DNA sequence *mtbn4*.
- 37. (New) The DNA molecule of claim 1, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 38. (New) The isolated portion of DNA of claim 2, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 39. (New) The vector of claim 3, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 40. (New) The vector of claim 4, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 41. (New) The cell of claim 5, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 42. (New) The cell of claim 6, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 43. (New) The composition of claim 7, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 44. (New) The composition of claim 8, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.

Serial No.: 10/009,383

Filed: November 2, 2001

Page : 6 of 11

45. (New) The composition of claim 9, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.

- 46. (New) The composition of claim 10, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 47. (New) The polypeptide of claim 11, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 48. (New) The isolated segment of claim 12, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 49. (New) The composition of claim 13, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 50. (New) The composition of claim 14, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 51. (New) The composition of claim 15, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 52. (New) The composition of claim 16, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 53. (New) The composition of claim 17, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.
- 54. (New) The composition of claim 18, wherein the first amino acid sequence is the amino acid sequence of the polypeptide MTBN4.